## Gigabyte H410M H V2 motherboard Intel H410 LGA 1200 micro

**Brand :** Gigabyte **Product code:** H410M H V2

Product name: H410M H V2

- Supports 10th Gen Intel Core Processors
- Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
- 8-Channel HD Audio with High Quality Audio Capacitors
- NVMe PCle Gen3 x4 2280 M.2 Connector
- Intel GbE LAN with cFosSpeed Internet Accelerator Software
- Smart Fan 5 features Multiple Temperature Sensors and Hybrid Fan Headers with FAN STOP
- GIGABYTE APP Center, Simple and Easy Use

H470 Express Chipset, DDR4 2933/2666/2400/2133 MHz, HDMI, D-Sub, Intel GbE LAN chip, PCI Express 3.0, M.2, USB 3.2 Gen 1





Processor manufacturer * Intel	Rear panel I/O ports	
	rear parter to perter	
Intel® Celeron®, Intel® Core™ i3, Compatible processor series * Intel® Core™ i5, Intel® Core™ i7, Entel® Co	JSB 2.0 ports quantity * JSB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity	4 2 1
	/GA (D-Sub) ports quantity *	1
Supported memory types * DDR4-SDRAM	HDMI ports quantity *	1
Number of memory slots * 2	letwork	
Memory channels  ECC  Dual-channel  E  V	Ethernet LAN Ethernet interface type Ni-Fi *	✓ Gigabit Ethernet ×
Non-ECC  ✓ Supported memory clock speeds 2133,2400,2666,2933 MHz	eatures	
Maximum internal memory * 64 GB Napported memory module capacities 4GB, 8GB, 16GB, 32GB	Motherboard chipset * Audio output channels * PC health monitoring Component for *	Intel H410 7.1 channels CPU, Fan, Temperature, Voltage PC
Storage controllers	Motherboard form factor *	micro ATX
Supported storage drive types HDD & SSD Supported storage drive interfaces * M.2, PCI Express 3.0, SATA III  PAID levels	Motherboard chipset family * Power source type Windows operating systems supported	Intel ATX Windows 10
Internal I/O	Harmonized System (HS) code	84733020
HCD 2.2 Con 1 (2.1 Con 1)	expansion slots	
connectors *  Number of SATA III connectors * 4	PCI Express x1 slots PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots	2 1 1
Front panel audio connector	BIOS	
	BIOS type *	UEFI 256 Mbit
ATX Power connector (24-pin) ✓ Be ATX Power fan connector ✓ ATX Power	BIOS memory size ACPI version Clear CMOS button	5.0 ✓

Weight & dimensions		
Width	185 mm	
Depth	226 mm	
Packaging content		
Bundled software	Norton Internet Security (OEM version) cFosSpeed	



4719331815387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.