Gigabyte H410M S2H V2 motherboard Intel H410 LGA 1200 micro ATX

Brand : Gigabyte **Product code:** H410M S2H V2

Product name: H410M S2H V2

- Supports 10th Gen Intel Core Processors
- Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
- 8-Channel HD Audio with High Quality Audio Capacitors
- Ultra-Fast M.2 with PCIe Gen3 X4 & SATA Interface
- Intel GbE LAN with cFosSpeed Internet Accelerator Software
- HDMI /DVI-D/D-Sub Ports for Multiple Display
- Smart Fan 5 features Multiple Temperature Sensors and Hybrid Fan Headers with FAN STOP GbE LAN, PCle Gen3 x4 M.2, HDMI / DVI-D/ D-Sub Ports for Multiple Display, Anti-Sulfur Resistor, Smart Fan 5





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series *	Intel LGA 1200 Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports *	2 1 2
	inter® Core 17, inter® Core 19	PS/2 ports quantity VGA (D-Sub) ports quantity *	1
Memory		HDMI ports quantity *	1
Supported memory types *	DDR4-SDRAM	DVI-D ports quantity *	1
Number of memory slots * Memory slots type	2 DIMM	Network	
Memory channels ECC Non-ECC Supported memory clock speeds	Dual-channel	Ethernet LAN Ethernet interface type Wi-Fi * Bluetooth	Gigabit Ethernet
Maximum internal memory *	64 GB	Features	
Unbuffered memory	1	Motherboard chipset *	Intel H410
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Component for *	PC
Supported storage drive interfaces *	M.2, PCI Express 3.0, SATA III, USB 3.2 Gen 1 (3.1 Gen 1)	Motherboard form factor * Motherboard chipset family *	micro ATX Intel
RAID levels	0, 1, 5, 10	Power source type	ATX
Internal I/O		Expansion slots	
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	1	PCI Express x1 slots PCI Express x16 (Gen 3.x) slots	2
connectors *	1	Number of M.2 (M) slots	1
Number of SATA III connectors *	4	BIOS	
Audio connector Front panel audio connector	1	BIOS type *	UEFI
Front panel connector	1	BIOS memory size	256 Mbit
ATX Power connector (24-pin)	· ✓	ACPI version	5.0
Power fan connector	1	Clear CMOS jumper	1
CPU fan connector	✓	Desktop Management Interface	2.7
EPS power connector (8-pin)	✓	(DMI) version	£
Serial port headers	1	System Management BIOS (SMBIOS) version	2.7

Internal I/O		Weight & dimensions		
12V power connector	✓	Width	185 mm	
Rear panel I/O ports		Depth	226 mm	
USB 2.0 ports quantity *	4	Packaging content	Packaging content	
		Bundled software	Norton Internet Security (OEM version) cFosSpeed	



4719331815370

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.