

Viewsonic PG706HD data projector Standard throw projector 4000 ANSI lumens DMD 1080p (1920x1080) White

Brand : Viewsonic

Product code: PG706HD

Product name : PG706HD



4000 ANSI, 16:9, 245W, 10W RMS, 312x222x108mm, 2.8kg, White

Viewsonic PG706HD. Projector brightness: 4000 ANSI lumens, Projection technology: DMD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 20000 h. Focus: Manual, Focal length range: 15.843 - 17.445 mm, Aperture range (F-F): 2 - 2.05. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size

Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Smart TV *	✗
Projection distance	1 - 10.96 m	Ethernet LAN *	✓
Projector brightness *	4000 ANSI lumens	Ethernet LAN (RJ-45) ports	1
Projection technology *	DMD	Wi-Fi *	✗
Projector native resolution *	1080p (1920x1080)	Storage	
Contrast ratio (typical) *	12000:1	Card reader integrated *	✗
Number of colours	1.07 billion colours	Features	
Horizontal scan range	15 - 102 kHz	Interactive *	✗
Vertical scan range	23 - 120 Hz	Noise level (economic mode)	27 dB
Keystone correction, horizontal	-40 - 40°	HDCP	✓
Keystone correction, vertical	-40 - 40°	On Screen Display (OSD)	✓
Matrix size	1.19 cm (0.47")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Light source		Number of OSD languages	20
Light source type *	Lamp	Noise level *	32 dB
Service life of light source *	4000 h	Multimedia	
Service life of light source (economic mode)	20000 h	Built-in speaker(s) *	✓
Lamp power	245 W	RMS rated power	10 W
Lamps quantity	1 lamp(s)	Design	
Lens system		Market positioning *	Presentation
Focus *	Manual	Product type *	Standard throw projector
Focal length range	15.843 - 17.445 mm	Product colour *	White
Aperture range (F-F)	2 - 2.05	Placement	Desktop, Ceiling
Zoom capability	✓	Display	
Zoom ratio	2.0:1	Built-in display *	✗
Throw ratio	1.5-1.65		
Offset	110%		
Video			
Analog signal format system *	NTSC, PAL, SECAM		
Full HD *	✓		
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)		

Video		Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source *	AC
Ports & interfaces		Power consumption (typical) *	355 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	1.4	AC input voltage	100-240 V
S-Video inputs quantity	1	AC input frequency	50/60 Hz
USB 2.0 ports quantity *	1	Supplier features	
Serial interface type *	RS-232	Harmonized System (HS) code	85286200
PC Audio in	✓	Operational conditions	
PC Audio out	✓	Operating temperature (T-T)	0 - 40 °C
VGA (D-Sub) ports quantity *	2	Weight & dimensions	
HDMI ports quantity *	2	Width	312 mm
Composite video in *	1	Depth	222 mm
DVI port *	✗	Height	108 mm
AC (power) in	✓	Weight *	2.79 kg
		Package width	415 mm
		Package depth	168 mm
		Package height	297 mm
		Package weight	3.95 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC, VGA
		Manual	✓



0766907001792



766907001792

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.