

## Viewsonic PX701-4K data projector Standard throw projector 3200 ANSI lumens DMD 2160p (3840x2160) White



**Brand :** Viewsonic

**Product code:** PX701-4K

**Product name :** PX701-4K

Viewsonic PX701-4K. Projector brightness: 3200 ANSI lumens, Projection technology: DMD, Projector native resolution: 2160p (3840x2160). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 20000 h. Focus: Auto, Focal length range: 15.843 - 17.445 mm, Aperture range (F-F): 2 - 2.05. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), 3840 x 2160, Supported video modes: 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b

Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Wi-Fi *	✗
Projection distance	1 - 10.96 m	Storage	
Projector brightness *	3200 ANSI lumens	Card reader integrated *	✗
Projection technology *	DMD	Features	
Projector native resolution *	2160p (3840x2160)	Noise level (economic mode)	27 dB
Contrast ratio (typical) *	12000:1	HDCP	✓
Number of colours	1.07 billion colours	On Screen Display (OSD)	✓
Horizontal scan range	15 - 129 kHz	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Vertical scan range	23 - 240 Hz	Number of OSD languages	23
Keystone correction, vertical	-40 - 40°	Noise level *	31 dB
Matrix type	DMD	Separate H/V sync	✓
Light source		High Dynamic Range (HDR) supported	✓
Light source type *	Lamp	High Dynamic Range (HDR) technology	Hybrid Log-Gamma (HLG)
Service life of light source *	6000 h	Multimedia	
Service life of light source (economic mode)	20000 h	Built-in speaker(s) *	✓
Lamp power	203 W	RMS rated power	10 W
Lens system		Design	
Focus *	Auto	Market positioning *	Gaming
Focal length range	15.843 - 17.445 mm	Product type *	Standard throw projector
Aperture range (F-F)	2 - 2.05	Product colour *	White
Zoom capability	✓	Placement	Desktop
Zoom ratio	1.1:1	Cable lock slot	✓
Digital zoom	2x	Cable lock slot type	Kensington
Optical zoom	1.1x	Display	
Throw ratio	1.5-1.65	Built-in display *	✗
Offset	120%	Power	
Video		Power source *	AC
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (typical) *	290 W
Full HD *	✓	Power consumption (standby) *	0.5 W
3D *	✗	AC input voltage	100-240 V
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA), 3840 x 2160	AC input frequency	50/60 Hz
Supported video modes	720p, 1080i, 1080p, 2160p	Supplier features	
Ports & interfaces		Harmonized System (HS) code	85286200
HDMI connector type	Full-size		
HDMI version	2.0b		
USB 2.0 ports quantity *	1		
Serial interface type *	RS-232		
PC Audio out	✓		
HDMI ports quantity *	2		
DVI port *	✗		

Ports & interfaces		Operational conditions	
Mobile High-Definition Link (MHL)	✗	Operating temperature (T-T)	0 - 40 °C
AC (power) in	✓	Weight & dimensions	
Network		Width	312 mm
Smart TV *	✗	Depth	222 mm
Ethernet LAN *	✗	Height	108 mm
		Weight *	2.8 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC
		Technical details	
		Refresh rates	240 Hz
		Logistics data	
		Quantity per pack	1 pc(s)

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-JAN-2023. Prints or copies of Information are only valid on the printed Publication date