# Viewsonic IFP7552-1A Signage Display Interactive flat panel 190.5 cm (75") Wi-Fi 400 cd/m² 4K Ultra HD Touchscreen Built-in processor Android

**Brand :** Viewsonic

**Product name :** IFP7552-1A

**Product code:** IFP7552-1A

- Lag-free, pen-on-paper writing experience with Ultra Fine Touch Technology
- Angular design for elevated sound and ease-of-use during class
- Singe-cable solution for touch, audio, video
75", 3840 x 2160, 1200:1, LCD, 60 Hz, 16:9, 350 cd/m2, 8ms
Viewsonic IFP7552-1A. Product design: Interactive flat panel. Display diagonal: 190.5 cm (75"), Display resolution: 3840 x 2160 pixels, Display brightness: 400 cd/m², HD type: 4K Ultra HD, Touchscreen. Wi-Fi. Operating system installed: Android

## Display

| | |
|---|---|
| LED backlighting type | Direct-LED |
| Display diagonal * | 190.5 cm (75") |
| Display resolution * | 3840 x 2160 pixels |
| Display brightness * | 400 cd/m² |
| HD type * | 4K Ultra HD |
| Touchscreen * | ✔ |
| Number of simultaneous touchpoints | 33 |
| Response time | 8 ms |
| Contrast ratio (typical) | 1200:1 |
| Contrast ratio (dynamic) | 5000:1 |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Display number of colours | 1.07 billion colours |
| Panel type | TFT |

## Ports & interfaces

| | |
|---|---|
| HDMI ports quantity * | 3 |
| HDMI version | 2.0 |
| HDMI output ports quantity | 1 |
| DisplayPorts quantity * | 1 |
| Ethernet LAN * | ✔ |
| Ethernet LAN (RJ-45) ports | 1 |
| Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Wi-Fi * | ✔ |

## Audio

| | |
|---|---|
| Built-in speaker(s) * | ✔ |
| Number of built-in speakers | 2 |

## Design

| | |
|---|---|
| Product design * | Interactive flat panel |

## Performance

| | |
|---|---|
| HDCP | ✔ |

## Computer system

| | |
|---|---|
| Processor frequency | 1.8 GHz |
| Processor cores | 4 |
| Operating system installed | Android |

## Weight & dimensions

| | |
|---|---|
| Width | 1966.4 mm |
| Depth | 118.4 mm |
| Height | 1204.4 mm |
| Weight | 71 kg |

## Packaging data

| | |
|---|---|
| Package width | 1880 mm |
| Package depth | 280 mm |
| Package height | 1160 mm |
| Package weight | 72.1 kg |

## Packaging content

| | |
|---|---|
| Cables included | AC, AV, HDMI, USB |

## Operational conditions

| | |
|---|---|
| Operating temperature (T-T) | 0 - 40 °C |
| Operating relative humidity (H-H) | 20 - 80% |

## Certificates

| | |
|---|---|
| Certification | EMC/CE, CB, RoHS & DOC, REACH, WEEE, ErP. EEI |

## Features

| | |
|---|---|
| Wall mountable | ✔ |

## Technical details

| | |
|---|---|
| OPS slot | 1 |
| Sustainability compliance | ✔ |
| Sustainability certificates | CE, ENERGY STAR, EPEAT Silver, ErP, RoHS, WEEE |

| **Performance** | |
|---|---|
| HDCP version | 2.2 |

| **Power** | |
|---|---|
| Power consumption (standby) * | 0.5 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |

| **Computer system** | |
|---|---|
| Built-in processor * | ✔ |
| Processor architecture | ARM Cortex-A73 |

| **Other features** | |
|---|---|
| Graphics card family | ARM |
| User memory | 32 GB |
| Maximum refresh rate | 60 Hz |
| Bluetooth | ✔ |
| Bluetooth version | 4.0 |
| Built-in microphone | ✔ |
| Built-in subwoofer | ✔ |
| Headphone connectivity | 3.5 mm |
| Subwoofer RMS power | 15 W |
| USB 2.0 ports quantity | 1 |

**0766907009323**

**766907009323**