DELL UltraSharp U2422H 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U2422H

Product name : U2422H

- 60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort
60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 1000:1

DELL UltraSharp U2422H 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Silver:

Elevate your productivity on this innovative 24-inch FHD monitor that delivers wide color coverage and fast connectivity.
DELL UltraSharp U2422H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Silver

Display	
Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
Backlight type	W-LED
Touchscreen *	✗
Display brightness (typical)	250 cd/m²
Response time	8 ms
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	60 Hz
Display number of colours *	16.78 million colours
Response time (fast)	5 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	92.53 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	56 - 76 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Viewable size diagonal	60.5 cm

Ports & interfaces	
DisplayPort version	1.4
Audio output	✓

Network	
Wi-Fi	✗

Ergonomics	
VESA mounting *	✓
Panel mounting interface	100 x 100 mm
Cable lock slot *	✓
Height adjustment *	✓
Height adjustment	15 cm
Pivot	✓
Pivot angle	-90 - 90°
Swivelling	✓
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 21°
Tilt adjustment	✓

Power	
Energy efficiency class (SDR) *	C
Energy consumption (SDR) per 1000 hours *	12 kWh
Power consumption (typical) *	11.6 W
Power consumption (standby) *	0.3 W
Power consumption (max)	63 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	11.06 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.2 A

Display

Display diagonal (metric)	60.47 cm
High Dynamic Range (HDR) supported	✘
RGB colour space	sRGB
Colour gamut	100%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	Silver
Front bezel colour	Black
Feet colour	Silver

Ports & interfaces

Built-in USB hub *	✔
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2

Power

Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width (with stand)	537.6 mm
Depth (with stand)	179.6 mm
Height (with stand)	496 mm
Weight (with stand)	5.27 kg
Width (without stand)	53.8 cm
Depth (without stand)	4.85 cm
Height (without stand)	31.1 cm
Weight (without stand)	3.52 kg
Bezel width (side)	5.3 mm
Bezel width (top)	5.3 mm
Bezel width (bottom)	8.95 mm

Packaging data

Package weight	7.82 kg

Logistics data

Harmonized System (HS) code	85285210

5397184504970

5704174556756