



DELL P Series 24 Monitor - P2422H

Brand : DELL

Product family: P Series

Product code: DELL-P2422H

Product name : 24 Monitor - P2422H

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 250cd/m², 1000:1

- USB, VGA, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL P Series 24 Monitor - P2422H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080

pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9,

Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2

Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	AC (power) in	✓
Display resolution *	1920 x 1080 pixels	Network	
HD type *	Full HD	Wi-Fi	✗
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	LED	Cable lock slot *	✓
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	250 cd/m ²	Height adjustment	15 cm
Response time	8 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Supported graphics resolutions	1920 x 1080 (HD 1080)	Swivel angle range	-45 - 45°
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Tilt angle range	-5 - 21°
Aspect ratio	16:9	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	Plug and Play	✓
Maximum refresh rate *	60 Hz	LED indicators	Power
Viewing angle, horizontal	178°	Tilt adjustment	✓
Viewing angle, vertical	178°	Power	
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	C
Response time (fast)	5 ms	Energy consumption (SDR) per 1000 hours *	12 kWh
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (typical) *	11.8 W
Pixel density	93 ppi	Power consumption (standby) *	0.3 W
Horizontal scan range	30 - 83 kHz	Power consumption (max)	48 W
Vertical scan range	50 - 76 Hz	Power consumption (off)	0.2 W
Viewable size, horizontal	52.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	29.6 cm	AC input frequency	50/60 Hz
Viewable size diagonal	60.5 cm		
Display diagonal (metric)	60.47 cm		

Display		Power	
High Dynamic Range (HDR) supported	✘	Power supply type	Internal
Colour depth	6 bit	Energy efficiency scale	A to G
sRGB coverage (typical)	99%	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
Flicker-free technology	✓	Storage temperature (T-T)	-20 - 60 °C
Low Blue Light technology	✓	Operating relative humidity (H-H)	10 - 80%
Multimedia		Storage relative humidity (H-H)	5 - 90%
Built-in speaker(s) *	✘	Operating altitude	0 - 5000 m
Built-in camera *	✘	Non-operating altitude	0 - 12192 m
Design		Packaging content	
Market positioning *	Business	Stand included	✓
Product colour *	Black	Cables included	AC, DisplayPort, HDMI, USB, VGA
Front bezel colour	Black	Quick start guide	✓
Detachable stand	✓	Weight & dimensions	
Feet colour	Silver	Width (with stand)	537.8 mm
Heavy metals free	Hg (mercury)	Depth (with stand)	179.6 mm
Ports & interfaces		Height (with stand)	496.1 mm
Built-in USB hub *	✓	Weight (with stand)	5.15 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Width (without stand)	53.8 cm
USB upstream port type	USB Type-B	Depth (without stand)	5.21 cm
Number of upstream ports	1	Height (without stand)	31.9 cm
USB Type-A downstream ports quantity	4	Weight (without stand)	3.39 kg
VGA (D-Sub) ports quantity	1	Bezel width (side)	5.38 mm
HDMI *	✓	Bezel width (top)	5.38 mm
HDMI ports quantity	1	Bezel width (bottom)	1.67 cm
HDMI version	1.4	Packaging data	
DisplayPorts quantity	1	Package weight	7.95 kg
DisplayPort version	1.2	Sustainability	
Headphone out *	✘	Sustainability certificates	ENERGY STAR, EPEAT Gold, RoHS
HDCP	✓	Doesn't contain	PVC/BFR
HDCP version	1.4	Logistics data	
		Harmonized System (HS) code	85285210



5397184505175



5704174644835

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.