Acer NITRO RG1 KG221Q A computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black

Brand : Acer **Product family:** NITRO RG1 **Product code:** UM.WX1EE.A04

Product name : KG221Q A

KG221Q A Widescreen LCD Monitor

Acer NITRO RG1 KG221Q A computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black:

Much More to See
Take in the full view of the display with its ZeroFrame™1 design atop the sharply-cut three-pronged stand.

A Stand with Style
The stylish three-pronged stand saves on desk space without sacrificing style.

ZeroFrame™1 Design
The ZeroFrame™ design makes for a near-seamless look, allowing you to see more of what matters most: the screen.

An Ergonomic Edge
Good monitors should cause little to no strain. With a tilt of -5° to 15°, you can put your mind, and your neck, at ease.

Mount Up with VESA
Free up some of that desk area by mounting your display on the wall with VESA wall mounts.

Lightning Fast Freesync™
Discover the joys of a seamless game experience with AMD® Freesync™, up to 240Hz3 refresh rate a response time of 1ms.

Game with AMD® FreeSync™
Screen tearing will be a thing of the past with AMD® FreeSync™ which syncs your display's framerate to the video card.

Display	
Display diagonal *	54.6 cm (21.5")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	TN+Film
Backlight type	LED
Touchscreen *	✗
Display brightness (typical)	200 cd/m²
Response time	1 ms
Screen shape *	Flat
Contrast ratio (typical) *	600:1
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	90°
Viewing angle, vertical	65°
Display number of colours *	16.7 million colours
Pixel pitch	0.25 x 0.25 mm
Horizontal scan range	30 - 83 kHz
Vertical scan range	48 - 75 Hz
Colour depth	6 bit
Colour gamut	72%

Performance	
AMD FreeSync *	✓

Multimedia	
Built-in camera *	✗

Design	
Market positioning *	Office
Product colour *	Black
Certification	MPR II

Ports & interfaces	
Built-in USB hub *	✗
VGA (D-Sub) ports quantity	1
HDMI *	✓
HDMI ports quantity	1
Headphone out *	✓
Headphone outputs	1

Ergonomics	
VESA mounting *	✓
Panel mounting interface	100 x 100 mm
Height adjustment *	✗
Tilt angle range	-5 - 15°

Power	
Power consumption (typical) *	19 W
Power consumption (standby) *	0.23 W
Power consumption (off)	0.21 W

Multimedia	
Built-in speaker(s) *	✓

Weight & dimensions	
Width (with stand)	508 mm
Depth (with stand)	52 mm
Height (with stand)	305 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2024. Prints or copies of Information are only valid on the printed Publication date