Sony α ZV-E10 MILC Body 24.2 MP CMOS 6000 x 4000 pixels Black

Brand : Sony

Product family: α

Product code: ILCZV-E10/B

Product name : ZV-E10

24.2 (25) Mpix, APS-C type (23.5 x 15.6 mm), Exmor CMOS, 6000 x 4000, 4K 3840 x 2160, 7.5 cm (3.0-type) type TFT, Bluetooth 4.1, 3.5 mm jack, 115.2 x 64.2 x 44.8 mm


Sony α ZV-E10. Camera type: MILC Body, Megapixel (approx.): 24.2 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 320000. Digital zoom: 8x. Fastest camera shutter speed: 1/4000 s. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3"), Touchscreen. Weight: 343 g. Product colour: Black





Picture quality		Audio	
Camera type *	MILC Body	Built-in microphone *	4
Megapixel (approx.) *	24.2 MP	Built-in speaker(s)	4
Sensor type *	CMOS	Audio system	Mono
Maximum image resolution *	6000 x 4000 pixels	Memory	
Still image resolution(s) *	L: 6000 x 4000 (24 M), M: 4240 x 2832 (12 M), S: 3008 x 2000 (6.0 M) L: 5328 x 4000 (21 M), M: 3776 x 2832 (11 M), S: 2656 x 2000 (5.3 M) L: 6000 x 3376 (20 M), M: 4240 x 2400 (10 M), S: 3008 x 1688 (5.1 M)		MS Micro (M2), MS PRO Duo, MS Pro-HG Duo, MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC 1
	L: 4000 x 4000 (16 M), M: 2832 x	Display	
	2832 (8.0 M), S: 2000 x 2000 (4.0 M)	Display *	TFT
Image stabilizer *	×	Touchscreen *	
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Display diagonal *	7.62 cm (3")
Total megapixels	25 MP	Display diagonal (metric)	7.5 cm
lmage sensor size (W x H)	23.5 x 15.6 mm	Display resolution	921600 dot
Sensor format	Advanced Photo System type-C (APS-C)	Flip-out screen	4
Image formats supported *	JPEG, RAW	Vari-angle LCD display	1
Lens system		Ports & interfaces	
Digital zoom *	8x	PictBridge *	×
Focusing		USB version *	2.0
Focus adjustment *	Auto/Manual	USB connector HDMI *	USB Type-C
Auto Focus (AF) points	425	Headphone outputs	1
Auto Focus (AF) points selection	Auto	Headphone connectivity	3.5 mm
	Auto		5.5 mm
Exposure		Network	
ISO sensitivity (min) *	100	Bluetooth *	
ISO sensitivity (max) *	320000	Bluetooth version	4.1
ISO sensitivity	100, 200, 400, 800, 1600, 3200, 6400, 32000	Camera	
Light exposure modes * Light exposure control	Auto, Manual Program AE	White balance *	Auto, Cloudy, Daylight, Flash, Fluorescent, Manual, Shade, Underwater
Light exposure correction *	± 5EV (1/2EV; 1/3EV step) Centre-weighted, Evaluative (Multi-	Shooting modes *	Aperture priority, Auto, Lens
Light metering *	pattern), Matrix, Spot	Photo effects *	priority, Manual, Program, Scene Black&White, Sepia
Auto Exposure (AE) lock	4	Self-timer delay *	2,5,10 s
Shutter		Contrast adjustment	4
Fastest camera shutter speed *	1/4000 s	Brightness adjustment	1

Shutter		Camera	
Slowest camera shutter speed * Camera shutter type	30 s Electronic, Mechanical	Saturation adjustment Camera playback	✓ Single image, Slide show
Flash		Tripod mounting supported *	4
Flash modes *	Auto, Flash off, Flash on, Pre-flash, Slow synchronization 1/160 s ±3EV (1/2; 1/3 EV step)	Design	
		Product colour *	Black
Flash exposure lock Flash sync-speed		Battery	
Flash exposure correction Pre-flash		Battery life (CIPA standard) Battery type	440 shots NP-FW50
Video		Number of batteries supported	1
Video recording *	num video resolution *3840 x 2160 pixelspe *4K Ultra HDresolutions3840 x 2160,1920 x 1080 pixelsg signal format systemNTSC, PAL	Operational conditions	
Maximum video resolution *		Operating temperature (T-T)	0 - 40 °C
HD type *		Weight & dimensions	
Video resolutions		Width	115.2 mm
Analog signal format system		Depth	44.8 mm
Video formats supported		Height	64.2 mm
		Weight	343 g



5013493418318

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.