



AOC 27G2SAE/BK computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black, Red

Brand : AOC

Product code: 27G2SAE/BK

Product name : 27G2SAE/BK

Screen size (inch) 27, Panel resolution 1920x1080, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, D-SUB (VGA), Sync technology (VRR) Freesync Premium

AOC 27G2SAE/BK computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black, Red:

27" gaming monitor with 165Hz refresh rate, 1ms MPRT response time and FreeSync Premium


The 27G2SAE/BK is the right model for anyone seeking high performance. It comes with 1080p Full High Definition (FHD), low input lag, FreeSync Premium, a wide colour range and 2W stereo speakers, on a classic stand with tilt feature.

AOC 27G2SAE/BK. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black, Red



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Microphone in	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable lock slot *	✓
Panel type *	VA	Cable lock slot type	Kensington
Backlight type	W-LED	Height adjustment *	✗
Touchscreen *	✗	Tilt angle range	-5 - 23°
Display brightness (typical)	350 cd/m ²	On Screen Display (OSD)	✓
Response time	1 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display surface	Matt	Number of OSD languages	19
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Power	
Supported video modes	1080p	Energy efficiency class (SDR) *	F
Aspect ratio	4:3, 16:9	Energy efficiency class (HDR) *	F
Contrast ratio (typical) *	3000:1	Energy consumption (SDR) per 1000 hours *	26 kWh
Maximum refresh rate *	165 Hz	Energy consumption (HDR) per 1000 hours *	26 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	26 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (max)	45 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (off)	0.3 W
Pixel density	81 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 160 kHz	AC input frequency	50/60 Hz
Vertical scan range	48 - 144 Hz		
Viewable size, horizontal	59.8 cm		
Display diagonal (metric)	68.6 cm		
Surface hardness	3H		
RGB colour space	Adobe RGB		
sRGB coverage (typical)	122%		

Display		Power	
NTSC coverage (typical)	102%	Energy efficiency scale	A to G
Adobe RGB coverage	98%	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
NVIDIA G-SYNC *	✗	Storage temperature (T-T)	-25 - 55 °C
AMD FreeSync *	✓	Operating relative humidity (H-H)	10 - 85%
AMD FreeSync type	FreeSync Premium	Storage relative humidity (H-H)	5 - 93%
AMD FreeSync refresh rate range	48 - 165 Hz	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	0 - 12192 m
Low Blue Light technology	✓	Packaging content	
Multimedia		Stand included	✓
Built-in speaker(s) *	✓	Cables included	DisplayPort, HDMI
Built-in camera *	✗	Quick start guide	✓
Number of speakers	2	DisplayPort cable length	1.8 m
RMS rated power	2 W	HDMI cable length	1.8 m
Design		Weight & dimensions	
Market positioning *	Gaming	Width (with stand)	612.5 mm
Product colour *	Black, Red	Depth (with stand)	227.4 mm
Frameless design	✓	Height (with stand)	464.6 mm
Front bezel colour	Black/Red	Weight (with stand)	4.63 kg
Detachable stand	✓	Width (without stand)	61.2 cm
Feet colour	Black/Red	Depth (without stand)	4.88 cm
Certification	ISO	Height (without stand)	36.6 cm
Ports & interfaces		Packaging data	
Built-in USB hub *	✗	Package width	730 mm
VGA (D-Sub) ports quantity	1	Package depth	187 mm
HDMI *	✓	Package height	520 mm
HDMI ports quantity	2	Package weight	6.96 kg
HDMI version	1.4	Package type	Box
DisplayPorts quantity	1	Logistics data	
DisplayPort version	1.2	Harmonized System (HS) code	85285210
Headphone out *	✓	Other features	
Headphone outputs	1	DCI-P3 coverage	93%
Headphone connectivity	3.5 mm	Exterior finish type	Matt
		Light effects	✗



4038986129893

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-JAN-2023. Prints or copies of Information are only valid on the printed Publication date