## **//OC**

## AOC B2 AG493UCX2 computer monitor 124 cm (48.8") 5120 x 1440 pixels Quad HD LED Black

Brand : AOC

Product family: B2

Product code: AG493UCX2

Product name : AG493UCX2

Screen size (inch) 48.8, Panel resolution  $5120 \times 1440$ , Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 3, Display Port DisplayPort 1.4 x 1, Sync technology (VRR) Freesync Premium Pro

AOC B2 AG493UCX2 computer monitor 124 cm (48.8") 5120 x 1440 pixels Quad HD LED Black:

**49**" **curved monitor with DQHD, 165Hz refresh rate, HDR400 and FreeSync Premium Pro** Double the in-game immersion with the curved AG493UCX2: thanks to the vast screen space of 49" (32:9) and a stunning Dual-QHD 5k resolution, you face a razor-sharp image whichever way you look. A gushing refresh rate of 165Hz and FreeSync Premium Pro ensure the smoothest images for even more realism.








Display		Ports & interfaces	
Display diagonal *	124 cm (48.8")	DisplayPort version	1.4
Display resolution *	5120 x 1440 pixels	Headphone out *	4
HD type *	Quad HD	Headphone outputs	1
Native aspect ratio *	32:9	Headphone connectivity	3.5 mm
Display technology *	LED	Built-in KVM switch	4
Panel type *	VA	Ergonomics	
Backlight type	W-LED	VESA mounting *	4
Touchscreen *	×	Panel mounting interface	100 x 100 mm
Display brightness (typical)	400 cd/m²	Cable lock slot *	100 x 100 mm
Response time	1 ms	Cable lock slot type	Kensington
Display surface	Matt	Height adjustment *	
Anti-glare screen	4	Height adjustment	10 cm
Screen shape *	Curved	Pivot	
Screen curvature rating	1800R	Swivelling	
Supported video modes	1440p	Swivel angle range	15.5 - 15.5°
Aspect ratio	16:9, 21:9, 32:9	Tilt angle range	3.5 - 13.5°
Contrast ratio (typical) *	3000:1	On Screen Display (OSD)	S.S - 15.5 ✓
Contrast ratio (dynamic)	8000000:1	on screen Display (OSD)	Simplified Chinese, Traditional
Maximum refresh rate *	165 Hz		Chinese, Croatian, Czech, German,
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean,
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Pixel pitch	0.2331 x 0.2331 mm	Number of OSD languages	19
Pixel density	109 ppi	Tilt adjustment	1
Viewable size, horizontal	119.3 cm		•
Viewable size, vertical	33.6 cm	Power	
Display diagonal (metric)	124 cm	Energy efficiency class (SDR) *	G
High Dynamic Range (HDR)	1	Energy efficiency class (HDR) *	G
supported	•	Energy consumption (SDR) per 1000 hours *	<sup>)</sup> 55 kWh
High Dynamic Range (HDR) technology	DisplayHDR 400	Energy consumption (HDR) per	
teennology		1000 hours *	105 kWh

Display		Demer	
Display		Power	
Surface hardness RGB colour space sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage	3H sRGB 122% 100% 98%	Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale	68 W 0.5 W 0.5 W 100 - 240 V 50/60 Hz A to G
Performance		External power adapter	√ ×
NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * AMD FreeSync type AMD FreeSync refresh rate range Fast charging	G-SYNC Compatible FreeSync Premium Pro 48 - 165 Hz	Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -25 - 55 °C 10 - 85% 5 - 93%
Flicker-free technology		Packaging content	
Low Blue Light technology Game mode	1	Stand included Cables included	✓ DisplayPort, HDMI
Multimedia Built-in speaker(s) * Built-in camera * Number of speakers	2 2	Power adapter included Remote control included DisplayPort cable length HDMI cable length	✓ ✓ 1.8 m 1.8 m
RMS rated power	5 W	Weight & dimensions	
Design		Width (with stand)	1194.4 mm
Market positioning * Product colour * Frameless design Front bezel colour Detachable stand Feet colour	Gaming Black Black Black/Red	Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	308 mm 567.6 mm 14.4 kg 119.4 cm 15.3 cm 36.9 cm
Certification	ISO	Packaging data	
orts & interfaces   suilt-in USB hub * ✓   ISB hub version 3.2 Gen 1 (3.1 Gen 1)   lumber of USB Type-C upstream orts quantity 1   ISB Type-A downstream ports uantity 3	Package width Package depth Package height Package weight Package type USB cable length	1308 mm 553 mm 420 mm 20.8 kg Box 1.8 m	
USB Type-C DisplayPort Alternate	1	Sustainability	
Mode	•	Sustainability certificates	WEEE
USB Power Delivery USB Power Delivery up to	✓ 65 W	Logistics data	
HDMI *	√ √	Harmonized System (HS) code	85285210
HDMI ports quantity	3	Other features	
HDMI version DisplayPorts quantity	2.0 1	DCI-P3 coverage Picture-by-Picture (PbP) Exterior finish type Light effects	91% ✓ Textured



4038986118422

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.