FATON

Eaton 5SC1000IBS uninterruptible power supply (UPS) Line-Interactive 1 kVA 700 W 8 AC outlet(s)

Brand : Eaton Product code: 5SC1000IBS

Product name: 5SC1000IBS

5SC UPS, Line-interactive, 1000 VA, 700 W, Input C14, Outputs 8 x C13, Tower, with BS input cord

Eaton 5SC1000IBS uninterruptible power supply (UPS) Line-Interactive 1 kVA 700 W 8 AC outlet(s):

The Eaton 5SC UPS provides line-interactive, affordable and reliable protection for small business server in any kind of installation constraints. Complementing our range of industry leading UPSs, the 5SC includes an LCD interface for real-time status and measurements, implements manageability solutions compatible with most of IT platforms and provides sinewave output for compatibility with most sensitive IT equipments.

Eaton 5SC1000IBS. UPS topology: Line-Interactive, Output power capacity: 1 kVA, Output power: 700 W. AC outlet types: C13 coupler, Power plug: C14 coupler, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 9 Ah, Battery voltage: 12 V. Form factor: Tower, Product colour: Black, Display type: LCD. Width: 240 mm, Depth: 480 mm, Height: 300 mm







Features		Battery	
UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency Automatic Voltage Regulation (AVR) Number of input phases Number of output phases Efficiency Power factor Output power factor Noise level Power protection features	Line-Interactive 1 kVA 700 W Sine 184 V 276 V 45/65 Hz 220 V 240 V 50/60 Hz ✓ 1 1 96% 0.7 0.7 40 dB Overdischarge	Battery technology Battery capacity Battery voltage Number of batteries supported Typical backup time at full load Hot-swap battery Automatic battery test Design Form factor * Product colour * Display type Certification	Sealed Lead Acid (VRLA) 9 Ah 12 V 2 5 min Tower Black LCD IEC/EN 62040-1 UL 1778 IEC/EN 62040-2 EAC cTUVus
		Operational conditions Operating relative humidity (H-H) Operating altitude Technical details	0 - 90% 0 - 2000 m
Ports & interfaces AC outlet types C Power plug C AC outlets quantity USB port USB 2.0 ports quantity Serial interface	✓ RS-232	Sustainability compliance Sustainability certificates	✓ CE
		Weight & dimensions Width Depth Height Weight	240 mm 480 mm 300 mm 12.3 kg
		Packaging data Rack mount kit Cables included	X Input power cable, Serial, USB cabl

_							
0	-	•	ν	~	in		data
г	a	u	Na	ч	ш	ч	uata

Quick installation guide

Publication date: 19-JAN-2023. Prints or copies of Information are only valid on the printed Publication date



3553340620379

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.