FAT•N

Eaton 5SC1000IRBS uninterruptible power supply (UPS) Line-Interactive 1 kVA 700 W 8 AC outlet(s)

Brand : Eaton Product code: 5SC1000IRBS

Product name: 5SC1000IRBS

5SC UPS, Line-interactive, 1000 VA, 700 W, C14 In, 8 x C13 Out, Rack, 2U, with BS input cord Eaton 5SC1000IRBS. UPS topology: Line-Interactive, Output power capacity: 1 kVA, Output power: 700 W. AC outlet types: C13 coupler, Power plug: C14 coupler, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 9 Ah, Battery voltage: 12 V. Form factor: Rackmount, Product colour: Black, Silver, Display type: LCD. Width: 509 mm, Depth: 438 mm, Height: 43.2 mm







Features		Battery			
Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) *	Line-Interactive 1 kVA 700 W Sine 184 V 276 V 45/65 Hz 220 V 240 V 50/60 Hz ✓ 1 1 96% 0.7 0.7 40 dB Overdischarge	Battery technology Battery capacity Battery voltage Number of batteries supported Typical backup time at full load Hot-swap battery Automatic battery test	Sealed Lead Acid (VRLA) 9 Ah 12 V 2 5 min		
Output operation voltage (min)		Design			
Output operation voltage (max) Output frequency Automatic Voltage Regulation (AVR) Number of input phases Number of output phases Efficiency Power factor Output power factor Noise level Power protection features		Form factor * Product colour * Display type Certification Operational conditions Operating relative humidity (H-H) Operating altitude Technical details	Rackmount Black, Silver LCD TUV UL 1778 IEC/EN 62040-1 IEC/EN 62040-2 EAC cTUVus 0 - 90% 0 - 3000 m		
Ports & interfaces		Sustainability compliance	1		
AC outlet types	C13 coupler	Sustainability certificates	CE		
Power plug	C14 coupler	Weight & dimensions			
AC outlets quantity USB port USB port USB port type USB Type-B Serial interface Serial interface type Serial ports quantity 1	USB Type-B ✓	Width Depth Height Weight	509 mm 438 mm 43.2 mm 15.4 kg		
		Packaging data			
	-	Rack mount kit Cables included	✓ Input power cable, Serial, USB cable		

_							
0	-	•	ν	~	in	~	data
г	a	·	Na	ч	ш	ч	uata

Quick installation guide

Publication date: 19-JAN-2023. Prints or copies of Information are only valid on the printed Publication date



3553340620331

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.