



## POLY CCX 505 DECT telephone Caller ID Black

Brand : POLY

Product code: 2200-49735-019

Product name : CCX 505

- Hear every nuance with award-winning Poly audio technology
  - Powerful chipsets support next-generation features like NoiseBlockAI
  - Bluetooth and 2 USB ports (1 x Type A, 1 x Type C) to connect a headset—and more
  - Easy to install anywhere with Wi-Fi included (CCX 505)
- 5-inch color LCD (720 x 1280 pixel), UTF-8, Bluetooth 4.2, Wi-Fi,  
 POLY CCX 505. Type: DECT telephone, Handset type: Wired handset. Speakerphone. Caller ID. Display diagonal: 12.7 cm (5"). Product colour: Black



Performance		Display	
Type *	DECT telephone	Backlight display	✓
Answering machine *	✓	Built-in display *	✓
Handset type *	Wired handset	Touchscreen	✓
Ringer type	Polyphonic	Touchscreen type	Capacitive
Microphone frequency	100 - 20000 Hz	Ports & interfaces	
Silent mode	✓	RJ-45 ports quantity	1
HD voice	✓	RJ-9 ports quantity	1
Design		Cable lock slot	✓
Mounting type *	Desk	Wireless connection	✓
Product colour *	Black	Power	
Elderly phone *	✓	AC adapter output voltage	48 V
Phone features		Power consumption (typical)	13 W
Speakerphone *	✓	Network	
Short Message Service (SMS)	✗	Bluetooth	✓
Dialer location	Base	Bluetooth version	4.2
Microphone mute	✓	Wi-Fi	✓
Noise reduction	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Call management		Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Caller ID *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Redialing	✓	Operational conditions	
Conference call	✓	Operating temperature (T-T)	0 - 40 °C
Call forwarding	✓	Storage temperature (T-T)	-40 - 70 °C
Call waiting	✓	Operating relative humidity (H-H)	5 - 95%
Caller ID on call waiting	✓		
Call hold	✓		
Call timer	✓		
Management features			
Hotspot mode	✓		
Volume control	Touch		

Management features		Certificates	
Languages support	Multi	Certification	Argentina ENACOM Australia RCM Brazil ANATEL Canada ICES & NRTL Canada CCC & SRRCC EEA CE Mark Eurasian Customs Union EAC India WPC Indonesia SDPPI Israel MOC Japan MIC & VCCI Malaysia SIRIM Mexico IFETEL & NYCE NZ Telepermit Saudi Arabia CITC Singapore IMDA South Africa ICASA South Korea KC Taiwan NCC UAE TRA USA FCC & NRTL
Display			
Display	LCD		
Display diagonal	12.7 cm (5")		
Display resolution	720 x 1280 pixels		
		Weight & dimensions	
		Base dimensions	178 x 216 x 52 mm
		Base weight	1.28 kg



0610807902379



610807902379

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.