

SONY

Sony WH-XB910N

Brand : Sony

Product code: WHXB910NL

Product name : WH-XB910N

- EXTRA BASS™ for impressively deep, punchy sound on these Sony headphones
- Active noise cancelling headphones with Dual Noise Sensor technology
- Up to 30 hours of battery life (with noise cancelling ON your Sony wireless headphones)
- Featuring Multipoint connection, these Bluetooth® headphones with microphone allow you to switch effortlessly between devices
- Carry case and foldable design for easy travelling

Sony WH-XB910N EXTRA BASS™ Noise Cancelling Wireless Headphones - Up to 30 hours battery life - Over-ear style - Optimised for Alexa and Google Assistant - with built-in mic for phone calls - Blue
Sony WH-XB910N. Product type: Headphones. Connectivity technology: Wireless, Bluetooth.
Recommended usage: Calls/Music. Headphone frequency: 7 - 25000 Hz. Wireless range: 10 m. Cable length: 1.2 m. Weight: 252 g. Product colour: Blue



Performance		Headphones	
Product type *	Headphones	Driver type	Dynamic
Wearing style *	Head-band	Number of drivers	2
Recommended usage *	Calls/Music	Microphone	
Headset type	Binaural	Microphone type *	Built-in
Product colour *	Blue	Battery	
Volume control	Touch	Battery operated	✓
Control type	Touch	Battery type	Built-in battery
Foldable	✓	Battery technology	Lithium-Ion (Li-Ion)
Cable length	1.2 m	Continuous audio playback time	30 h
LED indicators	✓	Battery recharge time	3.5 h
Plug and Play	✓	Fast charging	✓
Works with the Google Assistant	✓	Fast charging time	10 min
Works with Apple Siri	✓	Weight & dimensions	
Country of origin	China, Vietnam	Height	261.3 mm
Ports & interfaces		Weight	252 g
Connectivity technology *	Wireless	Packaging data	
3.5 mm connector	✗	Package width	199.2 mm
Bluetooth	✓	Package depth	67.2 mm
Bluetooth profiles	A2DP, AAC, AVRCP, HFP, HSP, SBC	Package height	261.3 mm
Bluetooth version	5.2	Package weight	636 g
Frequency band	2.4 GHz	Package type	Box
Wireless range	10 m	Packaging content	
Headphones		Charging case	✓
Ear coupling *	Supraaural	Charging case type	Wired
Acoustic system	Closed	Charging case connector type	USB Type-C
Headphone frequency	7 - 25000 Hz	Quick start guide	✓
Impedance	48 Ω	Warranty card	✓
Headphone sensitivity	96 dB		

Headphones		Packaging content	
Magnet type	Neodymium	Cables included	USB Type-C
Driver unit	4 cm	Logistics data	
		Harmonized System (HS) code	85183000



4548736131132

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-AUG-2023. Prints or copies of Information are only valid on the printed Publication date