


## StarTech.com 4 Port Native PCI Express RS232 Serial Adapter Card with 16550 UART

**Brand :** StarTech.com

**Product code:** PEX4S553

**Product name :** 4 Port Native PCI Express RS232 Serial Adapter Card with 16550 UART



### 4 Port Native PCI Express RS232 Serial Adapter Card with 16550 UART

StarTech.com 4 Port Native PCI Express RS232 Serial Adapter Card with 16550 UART. Host interface: PCIe, Output interface: Serial, Serial interface type: RS-232. Mean time between failures (MTBF): 26280 h, Certification: CE, FCC, REACH. Chipset: ASIX - MCS9904CV-AA, Baud rate: 128 Kbit/s, FIFO (First In, First Out): 256 B. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac operating systems supported: Mac OS X 10.10 Yosemite, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard,...., Server operating systems supported: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows.... Width: 130 mm, Depth: 120 mm, Height: 19 mm



Ports & interfaces		System requirements	
Host interface *	PCIe		Mac OS X 10.10 Yosemite, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Output interface *	Serial	Mac operating systems supported	
Serial ports quantity	4		
Serial interface type	RS-232	Linux operating systems supported	✓
<b>Design</b>		Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Internal *	✓	Other operating systems supported	Windows Embedded POSReady 2009, Windows Embedded Standard 2009, Windows XP Embedded
Mean time between failures (MTBF)	26280 h		
Certification	CE, FCC, REACH		
<b>Features</b>		<b>Technical details</b>	
Chipset	ASIX - MCS9904CV-AA	Sustainability certificates	RoHS
Baud rate	128 Kbit/s	<b>Weight &amp; dimensions</b>	
FIFO (First In, First Out)	256 B	Width	130 mm
Data bits	5, 6, 7, 8	Depth	120 mm
Harmonized System (HS) code	84733020	Height	19 mm
<b>Operational conditions</b>		Weight	74 g
Operating temperature (T-T)	0 - 50 °C	<b>Packaging data</b>	
Storage temperature (T-T)	-20 - 60 °C	Quantity	1
Operating relative humidity (H-H)	5 - 85%	Mounting brackets included	✓
		Drivers included	✓
		Manual	✓
		Package width	141 mm
		Package depth	170 mm
		Package height	30 mm

System requirements	Packaging data
Windows operating systems supported	Package weight 230 g
<p>Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 95, Windows 98SE, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64</p>	



0065030843553



065030843553



7887117188332

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.