Viewsonic IFP4320 computer monitor 109.2 cm (43") 3840 x 2160 pixels 4K Ultra HD LCD Touchscreen Black

Brand : Viewsonic

Product name : IFP4320

Product code: IFP4320

43", 3840 x 2160, 1000:1, LCD, 60 Hz, 16:9, 350 cd/m2, 9 ms
Viewsonic IFP4320. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, HD type: 4K
Ultra HD, Display technology: LCD, Response time: 9 ms, Native aspect ratio: 16:9, Viewing angle,
horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1).
VESA mounting. Product colour: Black

Display

Display diagonal *	109.2 cm (43")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LCD
Backlight type	LED
Touchscreen *	✔
Touchscreen technology	Infrared
Touch technology	Dual-touch
Response time	9 ms
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Surface hardness	9H
Display brightness	350 cd/m²

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Operating system installed	Android
Operating system version	9

Multimedia

Number of speakers	2
Built-in microphone	✔

Design

Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B, USB Type-C

Ports & interfaces

HDMI version	2.0
Headphone out *	✔
Microphone in	✔
RS-232 ports	1

Network

Wi-Fi	✔
Wi-Fi standards	Wi-Fi 5 (802.11ac)
Bluetooth	✔
Bluetooth version	4.0
Ethernet LAN	✔

Ergonomics

VESA mounting *	✔

Power

Power consumption (typical) *	120 W
Power consumption (standby) *	0.5 W
Power consumption (max)	150 W
AC input voltage	100 - 240 V

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Packaging content

Cables included	AC, AV, HDMI, USB

Weight & dimensions

Width (with stand)	967 mm
Depth (with stand)	55.7 mm
Height (with stand)	558.1 mm
Weight (with stand)	17.8 kg

Packaging data

Package width	1200 mm

Ports & interfaces

Number of upstream ports	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Touch port	✔
USB Touch ports quantity	1
VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	3

Packaging data

Package depth	210 mm
Package height	785 mm
Package weight	22.4 kg

Sustainability

Sustainability certificates	CE, ENERGY STAR, EPEAT Silver, ErP, RoHS, WEEE

Logistics data

Harmonized System (HS) code	85285210

Thin Client

Processor architecture	ARM Cortex-A73 + ARM Cortex-A53
Internal memory	3000 MB

Other features

Built-in processor	✔
Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN (RJ-45) ports	1

0766907010206

766907010206

Publication date: 20-JAN-2023. Prints or copies of Information are only valid on the printed Publication date