



## DELL E Series 22 Monitor - E2222H

Brand : DELL

Product family: E Series

Product code: DELL-E2222H

Product name : 22 Monitor - E2222H

- 54.48cm (21.45") Full HD 1920 x 1080 LED VA

- 10ms, 16:9, 250cd/m<sup>2</sup>, 3000:1

- VGA, DisplayPort

54.48cm (21.45") Full HD 1920 x 1080 LED VA, 16:9, 250cd/m<sup>2</sup>, 16.7M, 10ms, 178°/178°, 3000:1

DELL E Series 22 Monitor - E2222H:

Get a wide viewing angle while saving desk space. This 21.5-inch Full HD monitor has a compact stand, slim profile and eco-conscious design.

DELL E Series 22 Monitor - E2222H. Display diagonal: 54.5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 10 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



| Display                            |                       | Ergonomics                                |             |
|------------------------------------|-----------------------|---|-------------|
| Display diagonal *                 | 54.5 cm (21.4")       | Swivelling                                | ✗           |
| Display resolution *               | 1920 x 1080 pixels    | Tilt angle range                          | -5 - 21°    |
| HD type *                          | Full HD               | On Screen Display (OSD)                   | ✓           |
| Native aspect ratio *              | 16:9                  | Plug and Play                             | ✓           |
| Display technology *               | LCD                   | LED indicators                            | ✓           |
| Panel type *                       | VA                    | Tilt adjustment                           | ✓           |
| Backlight type                     | LED                   |   |             |
| Touchscreen *                      | ✗                     | Power                                     |             |
| Display brightness (typical)       | 250 cd/m <sup>2</sup> | Energy efficiency class (SDR) *           | D           |
| Response time                      | 10 ms                 | Energy consumption (SDR) per 1000 hours * | 12 kWh      |
| Anti-glare screen                  | ✓                     | Energy consumption (HDR) per 1000 hours * | 12 kWh      |
| Screen shape *                     | Flat                  | Power consumption (typical) *             | 12.1 W      |
| Contrast ratio (typical) *         | 3000:1                | Power consumption (standby) *             | 0.3 W       |
| Maximum refresh rate *             | 60 Hz                 | Power consumption (max)                   | 19 W        |
| Viewing angle, horizontal          | 178°                  | Power consumption (off)                   | 0.3 W       |
| Viewing angle, vertical            | 178°                  | AC input voltage                          | 100 - 240 V |
| Display number of colours *        | 16.7 million colours  | AC input frequency                        | 50/60 Hz    |
| Response time (fast)               | 5 ms                  | Power supply type                         | Internal    |
| Pixel pitch                        | 0.249 x 0.241 mm      | Energy efficiency scale                   | A to G      |
| Pixel density                      | 103 ppi               |   |             |
| Horizontal scan range              | 30 - 83 kHz           | Operational conditions                    |             |
| Vertical scan range                | 50 - 75 kHz           | Operating temperature (T-T)               | 0 - 40 °C   |
| Viewable size, horizontal          | 47.9 cm               | Storage temperature (T-T)                 | -20 - 60 °C |
| Viewable size, vertical            | 26 cm                 | Operating relative humidity (H-H)         | 10 - 80%    |
| Display diagonal (metric)          | 54.48 cm              | Storage relative humidity (H-H)           | 5 - 90%     |
| High Dynamic Range (HDR) supported | ✗                     | Operating altitude                        | 0 - 5000 m  |
| RGB colour space                   | NTSC                  | Non-operating altitude                    | 0 - 12192 m |
| Colour gamut                       | 72%                   |   |             |

|                               |              |                                |                      |
|-------------------------------|--------------|--------------------------------|----------------------|
| <b>Multimedia</b>             |              | <b>Packaging content</b>       |                      |
| Built-in speaker(s) *         | ✘            | Stand included                 | ✓                    |
| Built-in camera *             | ✘            | Cables included                | AC, DisplayPort, VGA |
| <b>Design</b>                 |              | Quick start guide              | ✓                    |
| Market positioning *          | Office       | <b>Weight &amp; dimensions</b> |                      |
| Product colour *              | Black        | Width (with stand)             | 504.3 mm             |
| Front bezel colour            | Black        | Depth (with stand)             | 171 mm               |
| Detachable stand              | ✓            | Height (with stand)            | 384.2 mm             |
| Feet colour                   | Black        | Weight (with stand)            | 2.59 kg              |
| Heavy metals free             | Hg (mercury) | Width (without stand)          | 50.4 cm              |
| <b>Ports &amp; interfaces</b> |              | Depth (without stand)          | 4.96 cm              |
| VGA (D-Sub) ports quantity    | 1            | Height (without stand)         | 29.5 cm              |
| HDMI *                        | ✘            | Weight (without stand)         | 2.26 kg              |
| DisplayPorts quantity         | 1            | Bezel width (side)             | 1.28 cm              |
| DisplayPort version           | 1.2          | Bezel width (top)              | 1.28 cm              |
| AC (power) in                 | ✓            | Bezel width (bottom)           | 1.69 cm              |
| <b>Network</b>                |              | <b>Packaging data</b>          |                      |
| Wi-Fi                         | ✘            | Package weight                 | 4.14 kg              |
| <b>Ergonomics</b>             |              | <b>Sustainability</b>          |                      |
| VESA mounting *               | ✓            | Sustainability certificates    | ENERGY STAR, RoHS    |
| Panel mounting interface      | 100 x 100 mm | Doesn't contain                | PVC/BFR              |
| Cable lock slot *             | ✓            | <b>Logistics data</b>          |                      |
| Height adjustment *           | ✘            | Harmonized System (HS) code    | 85285210             |
| Pivot                         | ✘            |                                |                      |



5397184505342

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JAN-2023. Prints or copies of Information are only valid on the printed Publication date