GIGABYTE

Gigabyte AORUS FI32Q-X LED display 81.3 cm (32") 2560 x 1440 pixels Quad HD Black

Brand : Gigabyte

Product name : AORUS FI32Q-X

Product code: FI32Q-X

- SS IPS panel with 1ms GTG & OC 270Hz
- QD Display, 8-bit color with HDR600
- Premium Sound by Audio ESS SABRE HiFi
- ANC For Console & Black Equalizer
- Aim Stabilizer Sync & KVM
- AORUS GameAssist & OSD Sidekick
- Eye-care Gaming Monitor & Power Board Build-in
32", SS IPS, QHD 2560 x 1440, 270 Hz, 8 bits, 1 ms, 400 cd/m2, 1000:1, HDMI, DP, USB-C, USB-B, USB-A, 3.5 mm
Gigabyte AORUS FI32Q-X. Display diagonal: 81.3 cm (32"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 1 ms, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display	
Display diagonal *	81.3 cm (32")
Display resolution *	2560 x 1440 pixels
HD type *	Quad HD
Display technology *	LED
Panel type *	SS-IPS
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	400 cd/m²
Response time	1 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	270 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2767 x 0.2767 mm
Viewable size, horizontal	70.8 cm
Viewable size, vertical	39.9 cm
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 600
Colour depth	8 bit
RGB colour space	Adobe RGB
sRGB coverage (typical)	157%
Adobe RGB coverage	99%

Performance	
Flicker-free technology	✔
HBR3 support	✔

Ports & interfaces	
Headphone connectivity	3.5 mm
Microphone in	✔
PC Audio in	✔
Built-in KVM switch	✔
AC (power) in	✔

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Height adjustment	13 cm
Pivot	✔
Pivot angle	0 - 90°
Swivelling	✔
Swivel angle range	-20 - 20°
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Tilt adjustment	✔

Power	
Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	34 kWh
Energy consumption (HDR) per 1000 hours *	56 kWh
Power consumption (max)	160 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	0.5 W

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	�’

Design

Market positioning *	Gaming
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Power Delivery up to	18 W
HDMI *	✔
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
Headphone outputs	1

Power

AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, HDMI, USB, USB Type-C
Quick start guide	✔

Weight & dimensions

Width (with stand)	729.1 mm
Depth (with stand)	293 mm
Height (with stand)	596.7 mm
Weight (with stand)	10.3 kg
Width (without stand)	729.1 mm
Depth (without stand)	71.1 mm
Height (without stand)	433 mm
Weight (without stand)	7 kg

Packaging data

Package width	1000 mm
Package depth	198 mm
Package height	570 mm
Package weight	15.4 kg
Package type	Box

4719331811846