

BenQ PD3420Q computer monitor 86.4 cm (34") 3440 x 1440 pixels Quad HD LED Grey

Brand : BenQ Product code: 9H.LJHLB.QPE

Product name: PD3420Q

- 21:9 UltraWide Screen
- 100% sRGB and 98% P3 color space with IPS technology
- VESA DisplayHDR 400 Certified

34", 3440x1440, IPS, 21:9, RMS 2x 2.5W, HDMI, DP, USB, AC 100-240V, 445.35-595.35x825.8x244.34 mm

BenQ PD3420Q. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Grey







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical)	lution * 3440 x 1440 pixels Quad HD 21:9 nology * LED IPS De LED **	Audio input Headphone out * Headphone outputs HDCP HDCP version AC (power) in Ergonomics VESA mounting *	X √ 1 √ 2.2 √
Response time Anti-glare screen Screen shape * Aspect ratio Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density	5 ms Flat 21:9 1000:1 60 Hz 178° 178° 1.073 billion colours 0.2325 x 0.2325 mm 109 ppi	Panel mounting interface Cable lock slot * Height adjustment * Height adjustment Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture On Screen Display (OSD)	100 x 100 mm X ✓ 15 cm ✓ 30 - 30° ✓ -5 - 20° ✓ Arabic, Simplified Chinese, Traditional Chinese, Czech, German.
Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported	80 cm 33.5 cm	On Screen Display (OSD) languages	Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish
High Dynamic Range (HDR) technology	DisplayHDR 400, High Dynamic Range 10 (HDR10)	Number of OSD languages Power	18
RGB colour space sRGB coverage (typical)	sRGB 100%	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	G G 54 kWh

Performance		Power	
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology Low Blue Light technology	× × ✓	Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) *	55 kWh 185 W 0.5 W
Multimedia		AC input voltage	100 - 240 V
Built-in speaker(s) * Built-in camera * Number of speakers RMS rated power	✓ × 2 5 W	Packaging content Stand included Cables included	A to G ✓ AC, DisplayPort to Mini DisplayPort, HDMI, USB
Design		Weight & dimensions	
Market positioning * Product colour * Feet colour	Graphics design Grey Grey	Width (with stand) Depth (with stand) Height (with stand)	825.8 mm 244.3 mm 445.4 mm
Ports & interfaces		Weight (with stand)	9.6 kg
uilt-in USB hub * SB hub version SB upstream port type USB Type-C Jumber of upstream ports USB Type-C	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	825.8 mm 87.4 mm 371.5 mm 6.9 kg	
USB Type-A downstream ports	3	Packaging data	
uantity SB Type-C downstream ports uantity VI port DMI * DMI ports quantity 2	Package width Package depth Package height Package weight Quantity per pack	990 mm 214 mm 654 mm 13.7 kg 1 pc(s)	
HDMI version	2.0	Sustainability	
DisplayPorts quantity DisplayPort version	1 1.4	European Product Registry for Energy Labelling (EPREL) code	343946
		Logistics data	
		Harmonized System (HS) code	85285210

