



ASUS GT-AXE11000 wireless router Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 6 GHz) Black

Brand : ASUS

Product code: 90IG06E0-MO1R00

Product name : GT-AXE11000

- Next-gen WiFi standard – World's first WiFi 6E tri-band router boosts speeds up to 11000Mbps.
 - New 6GHz frequency band – Wider channels and higher capacity delivers higher performance, lower latency, and less interference.
 - 2.5G WAN/LAN Port – All network traffic through 2.5G port is given top priority, and 2.5G port unlocks the full potential of WiFi 6.
 - Performance through engineering – Quad-core CPU, advanced cooling system and optimized antenna design for next-level computational capabilities.
 - Triple-level game acceleration – Accelerate game traffic every step of the way, from device to game server.
- 802.11a/b/g/n/ac/ax, 2.4/5/5 GHz, 1.8GHz quad-core, 110 -240 V, 50 - 60Hz, 1782 g, WAN/LAN



| WAN connection | | Management features | |
|---------------------------------------|--|-----------------------------------|--|
| Ethernet WAN * | ✓ | MIMO | ✓ |
| DSL WAN * | ✗ | Security | |
| SIM card slot * | ✗ | Security algorithms | SSH, WPA-Enterprise, WPA2-Enterprise, WPA3, WPS |
| 3G/4G USB modem compatibility * | ✗ | Firewall | ✓ |
| WAN connection type | RJ-45 | Guest access | ✓ |
| Wireless LAN features | | Parental control | ✓ |
| Wi-Fi band * | Tri-band (2.4 GHz / 5 GHz / 6 GHz) | MAC address filtering | ✓ |
| Top Wi-Fi standard * | Wi-Fi 6 (802.11ax) | URL filtering | ✓ |
| WLAN data transfer rate (max) * | 4804 Mbit/s | System event log | ✓ |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 | DMZ support | ✓ |
| | (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) | Network address translation (NAT) | ✓ |
| WLAN data transfer rate (first band) | 1148 Mbit/s | NAT functionality | PPTP, L2TP, IPSec, RTSP, H.323, SIP Passthrough, PPPoE relay |
| WLAN data transfer rate (second band) | 4804 Mbit/s | Protocols | |
| WLAN data transfer rate (third band) | 4804 Mbit/s | DHCP server | ✓ |
| Network | | Design | |
| Ethernet LAN * | ✓ | Product colour | Black |
| Ethernet LAN interface type * | Gigabit Ethernet | LED indicators | LAN, Power, Status, WAN |
| Ethernet LAN data rates | 10,100,1000,2500 Mbit/s | Product type * | Tabletop router |
| Cabling technology | 10/100/1000Base-T(X) | Packaging content | |
| Port forwarding | ✓ | Cables included | LAN (RJ-45) |
| Port triggering | ✓ | AC adapter included | ✓ |
| Dynamic DNS (DDNS) | ✓ | Warranty card | ✓ |
| Number of guest networks (2.4 GHz) | 3 | Quick start guide | ✓ |
| Number of guest networks (5 GHz) | 3 | Antenna | |
| Support Samba (storage) | ✓ | Antenna design * | External |
| Built-in FTP server | ✓ | Antennas quantity | 8 |
| VPN server | IPSec, OVPN, PPTP | Features | |
| Media server | ✓ | Built-in processor | ✓ |
| | | Processor frequency | 1800 MHz |
| | | Processor cores | 4 |

| Network | | Features | |
|----------------------------------|--|-----------------------------|-------------|
| VPN support | - VPN Client L2PT - VPN Client OVPN | Internal memory | 1024 MB |
| | - VPN Client PPTP - VPN Server IPSec | Flash memory | 256 MB |
| | - VPN Server OVPN - VPN Server PPTP - VPN Fusion | Works with Amazon Alexa | ✓ |
| | | Firmware upgradeable | ✓ |
| Mobile network | | Power | |
| 3G | ✗ | Power source type * | AC, DC |
| 4G | ✗ | AC input voltage | 110 - 240 V |
| 5G | ✗ | AC input frequency | 50/60 Hz |
| Ports & interfaces | | Output voltage | 19 V |
| Ethernet LAN (RJ-45) ports * | 5 | Output current | 3.42 A |
| USB port * | ✓ | Weight & dimensions | |
| DC-in jack | ✓ | Width | 328 mm |
| Management features | | Depth | 328 mm |
| Web-based management | ✓ | Height | 179 mm |
| Bandwidth control | ✓ | Weight | 1.78 kg |
| Quality of Service (QoS) support | ✓ | Packaging data | |
| Wake-on-LAN ready | ✓ | Package width | 371 mm |
| Reset button | ✓ | Package depth | 387 mm |
| WPS push button | ✓ | Package height | 118 mm |
| Intelligent Mesh technology | ✓ | Package weight | 2.96 kg |
| MU-MIMO technology | ✓ | Package type | Box |
| | | Number of products included | 1 pc(s) |
| | | Logistics data | |
| | | Harmonized System (HS) code | 85176990 |



4711081137207



0192876956878



192876956878

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JAN-2023. Prints or copies of Information are only valid on the printed Publication date