

PHILIPS

Philips B Line 276B1/75 LED display 68.6 cm (27") 2560 x 1440 pixels Full HD Black

Brand : Philips

Product family: B Line

Product code: 276B1/75

Product name : 276B1/75

B Line LCD monitor with USB-C docking

Philips B Line 276B1/75 LED display 68.6 cm (27") 2560 x 1440 pixels Full HD Black:


This Philips monitor offers 90W power delivery and a simple laptop docking solution. View QHD images, recharge a laptop and stay connected to Ethernet, all at the same time with a single USB-C cable. Eye comfort with TUV certification to reduce eye fatigue.

Philips B Line 276B1/75. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	✓
Display resolution *	2560 x 1440 pixels	HDCP version	1.4
HD type *	Full HD	AC (power) in	✓
Native aspect ratio *	16:9	DisplayPort output	✓
Display technology *	LED	Network	
Panel type *	IPS	Ethernet LAN	✓
Backlight type	W-LED	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	350 cd/m ²	Panel mounting interface	100 x 100 mm
Response time	4 ms	Cable lock slot *	✓
Display surface	Matt	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Height adjustment	15 cm
Aspect ratio	16:9	Pivot	✓
Contrast ratio (typical) *	1000:1	Pivot angle	-90 - 90°
Contrast ratio (dynamic)	50000000:1	Swivelling	✓
Dynamic contrast ratio marketing name	SmartContrast	Swivel angle range	-180 - 180°
Maximum refresh rate *	75 Hz	Tilt angle range	-5 - 35°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display number of colours *	16.7 million colours	Number of OSD languages	21
Pixel pitch	0.2331 x 0.2331 mm	Plug and Play	✓
Pixel density	109 ppi	LED indicators	Operation, Stand-by
Horizontal scan range	30 - 114 kHz	Tilt adjustment	✓
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 114 kHz		
Digital vertical frequency	48 - 75 Hz		

Display		Power	
Display diagonal (metric)	68.6 cm	Energy efficiency class (SDR) *	F
DDC/CI	✓	Energy consumption (SDR) per 1000 hours *	26 kWh
Haze rate	25%	Power consumption (typical) *	20.2 W
Surface hardness	3H	Power consumption (standby) *	0.3 W
RGB colour space	sRGB	Power consumption (PowerSave)	16.4 W
Colour gamut	110%	AC input voltage	100 - 240 V
sRGB coverage (typical)	107%	AC input frequency	50 - 60 Hz
NTSC coverage (typical)	104%	AC adapter output voltage	19 V
Display sRGB	✓	Power supply type	Internal
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	Operational conditions	
AMD FreeSync *	✗	Operating temperature (T-T)	0 - 40 °C
Component video sync	Separate sync	Storage temperature (T-T)	-20 - 60 °C
Flicker-free technology	✓	Operating relative humidity (H-H)	20 - 80%
Low Blue Light technology	✓	Operating altitude	0 - 3658 m
HBR3 support	✓	Non-operating altitude	0 - 12192 m
Multimedia		Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	HDMI, DisplayPort, USB Type-C, AC
Number of speakers	2	Manual	✓
RMS rated power	4 W	Bundled software	SmartControl
Design		Weight & dimensions	
Market positioning *	Business	Width (with stand)	613 mm
Product colour *	Black	Depth (with stand)	225 mm
Front bezel colour	Black	Height (with stand)	537 mm
Feet colour	Black	Weight (with stand)	7.26 kg
Heavy metals free	Hg (mercury), Pb (lead)	Width (without stand)	613 mm
	cETLus, CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CE	Depth (without stand)	54 mm
Certification	Mark, FCC Class B, ICES-003, UKRAINIAN, TUV Eye Comfort certified, MEPS, RCM	Height (without stand)	366 mm
		Weight (without stand)	5.47 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	730 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package depth	193 mm
USB upstream port type	USB Type-C	Package height	471 mm
Number of upstream ports	1	Package weight	10.9 kg
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability certificates	ENERGY STAR, TCO, RoHS
USB Type-C downstream ports quantity	1	Doesn't contain	Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Recycling data	
USB Power Delivery	✓	Post-consumer recycled plastic	85%
USB Power Delivery up to	90 W	Other features	
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Picture enhancement	SmartImage
HDMI version	1.4	Recyclable packaging material	100%
DisplayPorts quantity	1		cETLus; CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CE
DisplayPort version	1.4	Regulatory Approvals	Mark; FCC Class B; ICES-003; UKRAINIAN; TUV Eye Comfort certified; CCC; CECP; CEL
Audio output	✓	Light sensor	✓
Headphone out *	✗	EasyRead mode	✓
		LowBlue mode	✓
		Mean time between failures (MTBF)	70000 h
		Wake-on-LAN	✓



8712581774547



0609585253872



609585253872

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.