



AOC CU34P2C computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black

Brand : AOC

Product code: CU34P2C

Product name : CU34P2C

Screen size (inch) 34, Panel resolution 3440x1440, Refresh rate 100 Hz, Response time MPRT 1 ms, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync


AOC CU34P2C computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black:

Productivity, USB-C connectivity, and comfort in a curved 1500R 34" ultra wide QHD display
Professional users looking for a true productivity ally need look no further than the CU34P2C. This model is equipped with a curved 1500R 34" VA/3FL screen with 21:9 ultra wide QHD resolution and 300 cd/m2 brightness. Its rich, innovative features include wide viewing angles of 178°/178°, HDMI and DP compatibility, a USB-C, and USB 3.2 hub, and auto source input.



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	DisplayPort version	1.2
Display resolution *	3440 x 1440 pixels	Audio input	✓
HD type *	UltraWide Quad HD	Headphone out *	✓
Native aspect ratio *	21:9	Headphone connectivity	3.5 mm
Display technology *	LED	Microphone in	✓
Panel type *	VA	Built-in KVM switch	✓
Backlight type	W-LED	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	300 cd/m ²	Panel mounting interface	100 x 100 mm
Response time	1 ms	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Curved	Height adjustment *	✓
Screen curvature rating	1500R	Height adjustment	15 cm
Contrast ratio (typical) *	3000:1	Pivot	✗
Contrast ratio (dynamic)	50000000:1	Swivel angle range	-180 - 180°
Maximum refresh rate *	100 Hz	Tilt angle range	-5 - 23°
Viewing angle, horizontal	178°	Picture-in-Picture	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display number of colours *	16.7 million colours	Power	
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency class (SDR) *	G
Viewable size, horizontal	79.7 cm	Energy consumption (SDR) per 1000 hours *	45 kWh
Viewable size, vertical	33.4 cm	Power consumption (typical) *	55 W
Display diagonal (metric)	86.36 cm	Power consumption (standby) *	0.5 W
Surface hardness	3H	Power consumption (off)	0.3 W
Colour depth	8 bit	AC input voltage	100 - 240 V
sRGB coverage (typical)	120%		
NTSC coverage (typical)	85%		
Adobe RGB coverage	89%		
Performance			
NVIDIA G-SYNC *	✗		

Performance		Power	
Fast charging	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	External power adapter	✗
Compatibility	VESA-P2	Packaging content	
Multimedia		DisplayPort cable length	1.8 m
Built-in speaker(s) *	✓	HDMI cable length	1.8 m
Built-in camera *	✗	Power cable length	1.8 m
Number of speakers	2	Weight & dimensions	
RMS rated power	3 W	Width (with stand)	808.3 mm
Built-in microphone	✗	Depth (with stand)	275.1 mm
Design		Height (with stand)	611.5 mm
Market positioning *	Business	Weight (with stand)	9.8 kg
Product colour *	Black	Width (without stand)	808.3 mm
Front bezel colour	Black	Depth (without stand)	100.1 mm
Detachable stand	✓	Height (without stand)	367.4 mm
Heavy metals free	Hg (mercury)	Packaging data	
Certification	True	Package width	903 mm
Ports & interfaces		Package depth	250 mm
Built-in USB hub *	✓	Package height	527 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	12.7 kg
USB Type-A downstream ports quantity	4	Sustainability	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	TCO
USB Power Delivery	✓	European Product Registry for Energy Labelling (EPREL) code	1140119
USB Power Delivery up to	65 W	Logistics data	
HDMI *	✓	Harmonized System (HS) code	85285210
HDMI ports quantity	1	Other features	
HDMI version	2.0	Picture-by-Picture (PbP)	✓
DisplayPorts quantity	1	Exterior finish type	Textured
		Recyclable packaging material	100%
		Light effects	✗



4038986110105

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2024. Prints or copies of Information are only valid on the printed Publication date