

## Logitech RoomMate

**Brand :** Logitech

**Product code:** 991-000412

**Product name :** RoomMate



RoomMate

Logitech RoomMate. HD type: 4K Ultra HD, Supported video modes: 720p, 1080p, 2160p. Digital zoom: 8x. Ethernet LAN, Wi-Fi. Bluetooth. Display: IPS, Display diagonal: 25.6 cm (10.1"), Display resolution: 1280 x 800 pixels. Operating system installed: CollabOS. Product colour: Graphite, White

Performance		Features	
Bluetooth	✓	Motion sensor	✓
Bluetooth version	5.0	Cable lock slot	✓
Product colour *	Graphite, White	Cable lock slot type	Kensington
Wall mountable	✓	<b>Logistics data</b>	
Pan range	-25 - 25°	Master (outer) case gross weight	8.82 kg
Tilt angle range	-15 - 15°	Master (outer) case length	529 mm
PTZ control	✓	Master (outer) case width	463 mm
<b>Video</b>		Master (outer) case height	203 mm
HD type *	4K Ultra HD	Harmonized System (HS) code	85176990
Maximum video resolution *	3840 x 2160 pixels	<b>Battery</b>	
Supported video modes	720p, 1080p, 2160p	Battery capacity	0.675 Wh
<b>Audio</b>		<b>Computer system</b>	
Built-in speaker(s)	✓	VESA mounting	✓
Output level	86.5/95 dB	Operating system installed	CollabOS
Output voltage Total Harmonic Distortion (THD)	3%	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Audio beamforming	✓	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Microphone pick-up range	4 m	<b>Operational conditions</b>	
Sample rates	0 - 32 kHz	Operating temperature (T-T)	0 - 40 °C
<b>Ports &amp; interfaces</b>		Operating relative humidity (H-H)	10 - 95%
HDMI ports quantity	3	Storage temperature (T-T)	-40 - 70 °C
HDMI output ports quantity	2	<b>Power</b>	
HDMI input ports quantity	1	Power source type	AC
USB connector type	USB Type-A	AC input voltage	100 - 240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Current	4.74 A
Ethernet LAN (RJ-45) ports	1	DC input voltage	19 V
<b>Interface module</b>		Battery technology	Lithium
Interface module RJ-45 ports quantity	1	Battery capacity	220 mAh
<b>Network</b>		Number of batteries supported	2
Ethernet LAN *	✓	Power plug type	Type G
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Weight &amp; dimensions</b>	
Wi-Fi	✓	Interface module dimensions (W x D x H)	246.2 x 171.3 x 56.1 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Interface module weight	1 kg
Security algorithms	128-bit AES	Remote control dimensions (W x H x D)	83 x 83 x 10 mm
<b>Camera</b>		Camera dimensions (WxDxH)	400 x 85 x 104 mm
Zoom capability	✓	Camera weight	1.04 kg
Digital zoom	8x	Width	161 mm
Horizontal field of view	113°	Depth	211 mm
Vertical field of view	80.7°		
Diagonal field of view	120°		
Number of camera presets	3		

Camera		Weight & dimensions	
Remote control interface	RF Wireless	Height	34.5 mm
Display		Weight	1.04 kg
Display	IPS	Package width	456 mm
Display diagonal	25.6 cm (10.1")	Package depth	522 mm
Display resolution	1280 x 800 pixels	Package height	189 mm
Contrast ratio (typical)	1000:1	Package weight	8.82 kg
Touchscreen	✓	Packaging content	
Touchscreen type	Capacitive	Cables included	AC, DC, USB
Viewing angle, horizontal	85°	Power cable length	2.5 m
Viewing angle, vertical	85°	AC adapter included	✓
Display brightness	400 cd/m <sup>2</sup>	Mounting kit	✓
Oleophobic coating	✓	Camera included	✓
Microphone		Quick start guide	✓
Microphone sensitivity	-27 dB		
Microphone frequency	90 - 16000 Hz		



5099206102187

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-JUN-2023. Prints or copies of Information are only valid on the printed Publication date