/ISUS

ASUS ProArt PA328QV 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black

Brand : ASUS　　　　**Product family:** ProArt　　　　**Product code:** 90LM00X0-B02370

Product name : PA328QV

- 31.5-inch WQHD (2560 x 1440) HDR display with IPS 178° wide viewing angle panel
- International color standard 100% sRGB and 100% Rec. 709 wide color gamut
- Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
- Extensive connectivity for maximum flexibility, including DisplayPort, HDMI and earphone jack, plus USB hub
- 75Hz refresh rate and Adaptive-Sync technology (48~75Hz) to animated content with fast action and eliminate screen tearing
- Ergonomic stand with tilt, swivel, pivot and height adjustments for a comfortable viewing experience, plus VESA wall-mountable

ProArt Display PA328QV Professional Monitor – 31.5-inch, IPS, WQHD (2560 x 1440), 100% sRGB, 100% Rec.709, Color Accuracy ΔE < 2, Calman Verified, Ergonomic Stand

Display	
Display diagonal *	80 cm (31.5")
Display resolution *	2560 x 1440 pixels
HD type *	Quad HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Backlight type	LED
Touchscreen *	✘
Display brightness (typical)	350 cd/m²
Response time	5 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.073 billion colours
Pixel pitch	0.272 x 0.272 mm
Viewable size, horizontal	69.8 cm
Viewable size, vertical	39.3 cm
Digital horizontal frequency	27 - 112 kHz
Digital vertical frequency	24 - 75 Hz
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
RGB colour space	sRGB
Colour gamut	100%
sRGB coverage (typical)	100%

Ports & interfaces	
HDMI ports quantity	2
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out *	✔
HDCP	✔

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Height adjustment	13 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-30 - 30°
Tilt angle range	-5 - 23°
Tilt adjustment	✔

Power	
Energy efficiency class (SDR) *	F
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	32 kWh
Energy consumption (HDR) per 1000 hours *	39 kWh
Power consumption (typical) *	26.5 W
Power consumption (PowerSave)	0.5 W
AC input voltage	100 - 240 V

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	4 W

Design

Product colour *	Black
Certification	TCO Certified TÜV Flicker-free TÜV Low Blue Light Calman Verified

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-A downstream ports quantity	4
HDMI *	✔

Power

AC input frequency	50/60 Hz
Energy efficiency scale	A to G

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, HDMI
Quick start guide	✔

Weight & dimensions

Width (with stand)	714.8 mm
Depth (with stand)	245 mm
Height (with stand)	595.6 mm
Weight (with stand)	11.5 kg
Width (without stand)	71.5 cm
Depth (without stand)	6.73 cm
Height (without stand)	42.2 cm
Weight (without stand)	7 kg

Logistics data

Harmonized System (HS) code	85285210

4711081524847

0195553524858

195553524858