# Philips 75BDL3052E/00 Signage Display 190.5 cm (75") LCD 350 cd/m² 4K Ultra HD Black Touchscreen Android 8.0

Brand : Philips

Product name : 75BDL3052E/00

Product code: 75BDL3052E/00

75" (3840x2160), 350cd/m², 16:9, Android 8.0, 400W, 100-240V, 55.77kg
Philips 75BDL3052E/00. Display diagonal: 190.5 cm (75"), Display technology: LCD, Display resolution:
3840 x 2160 pixels, Display brightness: 350 cd/m², HD type: 4K Ultra HD, Touchscreen. Operating
system installed: Android 8.0. Product colour: Black

Display

Display diagonal *	190.5 cm (75")
Display technology *	LCD
Display resolution *	3840 x 2160 pixels
Display brightness *	350 cd/m²
HD type *	4K Ultra HD
Touchscreen *	✔
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.4296 x 0.4296 mm
Display diagonal (metric)	189.3 cm
Native refresh rate	60 Hz

Ports & interfaces

HDMI ports quantity *	3
HDMI version	2.0
DVI port *	✔
DVI-D ports quantity	1
VGA (D-Sub) input ports	1
USB port *	✔
USB ports quantity	4
USB version	2.0
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Remote (IR) input	1
Remote (IR) output	1
DC-in jack	✔
OPS module slot	✔

Audio

Built-in speaker(s) *	✔
Number of built-in speakers	2
RMS rated power	30 W

Design

Placement supported *	Indoor
Product colour *	Black
VESA mounting *	✔
Panel mounting interface	600 x 400 mm

Design

Anti-glare screen	✔

Performance

Number of OSD languages	18
On Screen Display (OSD) languages	Arabic, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Mean time between failures (MTBF)	50000 h

Power

Power consumption (typical) *	155 W
Power consumption (standby) *	0.5 W
Energy efficiency class (HDR)	G
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Computer system

Internal memory	3 GB
Internal storage capacity	16 GB
Operating system installed	Android 8.0
Video formats supported	H.263, H.264, H.265, MPEG, MPEG21, MPEG4, VP9
Audio formats supported	AAC, HE-AAC
Image formats supported	BMP, JPEG, PNG

Weight & dimensions

Display width	1715.5 mm
Display depth	101.5 mm
Display height	1007.6 mm
Display weight	55.8 kg

Packaging data

Package weight	67.6 kg

Packaging content

Cables included	AC, DVI, HDMI, IR sensor, USB Type-A to Micro USB-B

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	5 - 95%

Technical details

Sustainability certificates	CE, Federal Communications Commission (FCC), RoHS

8712581785307

0685417588183

685417588183