DELL PowerEdge T350 server 8000 GB Tower Intel Xeon E 2.9 GHz 16 GB DDR4-SDRAM 600 W

Brand : DELL   **Product family:** PowerEdge   **Product code:** G0N7D

Product name : T350

- No OS
- Intel Xeon E-2336 (12MB Cache, 2.9GHz)
- 16GB DDR4-SDRAM (1 x 16) & 8000GB HDD
- iDRAC9, Enterprise 15G
Intel Xeon E-2336 (12MB Cache, 2.9GHz), 16GB DDR4-SDRAM, 8000GB HDD, LAN (Broadcom 5720), PERC H755 , iDRAC9, Enterprise 15G, 600W, No OS

DELL PowerEdge T350 server 8000 GB Tower Intel Xeon E 2.9 GHz 16 GB DDR4-SDRAM 600 W:

Powerful single-processor server
Affordably address common business workloads while delivering powerful compute with an entry-level 1U tower server.
DELL PowerEdge T350. Processor family: Intel Xeon E, Processor frequency: 2.9 GHz, Processor model: E-2336. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Total storage capacity: 8000 GB, HDD size: 3.5", HDD interface: SATA III. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 600 W. Chassis type: Tower

Processor			Performance		
Processor manufacturer *	Intel		Trusted Platform Module (TPM)	✔	
Processor family *	Intel Xeon E		Trusted Platform Module (TPM) version	2.0	
Processor model *	E-2336				
Processor frequency *	2.9 GHz		Harmonized System (HS) code	84714100	
Processor boost frequency	4.8 GHz		**Software**		
Processor cache	12 MB		Operating system installed *	✖	
Number of processors installed	1				
Execute Disable Bit	✔		Compatible operating systems *	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server	
Idle States	✔				
Embedded options available	✖				
Memory			**Processor special features**		
Internal memory *	16 GB		CPU configuration (max)	1	
Internal memory type *	DDR4-SDRAM		Enhanced Intel SpeedStep Technology	✔	
Memory slots	4x DIMM				
ECC	✔		Intel Virtualization Technology for Directed I/O (VT-d)	✔	
Memory layout (slots x size)	1 x 16 GB		Intel Trusted Execution Technology	✔	
Memory data transfer rate	3200 MT/s		Intel VT-x with Extended Page Tables (EPT)	✔	
Maximum internal memory *	128 GB				
Storage			Intel Software Guard Extensions (Intel SGX)	✔	
Total storage capacity *	8000 GB		Intel 64	✔	
Number of HDDs installed	2		Intel Virtualization Technology (VT-x)	✔	
HDD capacity	4000 GB				
HDD interface	SATA III		**Power**		
HDD speed	7200 RPM		Redundant power supply (RPS) support *	✖	
HDD size	3.5"				
Number of HDDs supported	8		Power supply *	600 W	
Supported HDD sizes	3.5"		Number of main power supplies	1	
RAID support *	✖				

Storage

Supported RAID controllers	PERC H755
Hot-Plug support	✔
Optical drive type *	✖

Network

LAN controller	Broadcom 5720
Ethernet LAN	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet

Ports & interfaces

Ethernet LAN (RJ-45) ports *	2
USB 2.0 ports quantity	5
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
VGA (D-Sub) ports quantity	1
Parallel ports quantity	1

Design

Chassis type *	Tower
Product colour	Black
Bezel	✔

Performance

Remote administration	iDRAC9, Enterprise 15G

Power

Power cable length	2 m
Power cable connector 1	C13 coupler
Power cable current	10 A

Operational conditions

Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-40 - 65 °C
Storage relative humidity (H-H)	5 - 95%
Operating altitude	0 - 3048 m
Non-operating altitude	0 - 12000 m

Weight & dimensions

Width	175 mm
Depth	581.1 mm
Height	369.5 mm
Weight	25.3 kg

Other features

Drive bays	8
Bytes per sector	512n

5397184745694