

LG 24BP750C-B computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : LG

Product code: 24BP750C-B.AEK

Product name : 24BP750C-B

LG 24BP750C-B. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). Height adjustment. Product colour: Black







Diamlass

Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen *	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LED IPS W-LED	DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs HDCP HDCP version Charging port type	1 1.2 ✓ 1 ✓ 1.4 USB Type-C
Display brightness (typical)	X 250 cd/m ²	Network	
Response time	5 ms	Ethernet LAN	✓
Screen shape *	Flat	Ergonomics	
Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours *	1000:1 5000000:1 75 Hz 178° 178° 16.7 million colours	Height adjustment * Height adjustment Swivelling Swivel angle range Tilt angle range Tilt adjustment	✓ 13 cm ✓ 0 - 355° -5 - 23° ✓
Dival nitch	0.31 x 0.31 mm		
Pixel pitch		Power	
Display diagonal (metric) Surface hardness NTSC coverage (typical)	60.4 cm 3H 72%	Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours *	F ^D 19 kWh
Display diagonal (metric) Surface hardness	60.4 cm 3H	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000	n
Display diagonal (metric) Surface hardness NTSC coverage (typical)	60.4 cm 3H	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours *	⁾ 19 kWh
Display diagonal (metric) Surface hardness NTSC coverage (typical) Performance	60.4 cm 3H 72%	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * AC input voltage	^D 19 kWh 100 - 240 V
Display diagonal (metric) Surface hardness NTSC coverage (typical) Performance NVIDIA G-SYNC *	60.4 cm 3H 72%	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * AC input voltage Energy efficiency scale	^D 19 kWh 100 - 240 V
Display diagonal (metric) Surface hardness NTSC coverage (typical) Performance NVIDIA G-SYNC * AMD FreeSync * Brand specific technologies Flicker-free technology	60.4 cm 3H 72% X Black Equalizer, Crosshair	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * AC input voltage Energy efficiency scale Packaging content Stand included Cables included	^D 19 kWh 100 - 240 V A to G ✓ AC, USB
Display diagonal (metric) Surface hardness NTSC coverage (typical) Performance NVIDIA G-SYNC * AMD FreeSync * Brand specific technologies Flicker-free technology Smart modes	60.4 cm 3H 72% X Black Equalizer, Crosshair	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * AC input voltage Energy efficiency scale Packaging content Stand included Cables included Power cable length	^D 19 kWh 100 - 240 V A to G ✓ AC, USB
Display diagonal (metric) Surface hardness NTSC coverage (typical) Performance NVIDIA G-SYNC * AMD FreeSync * Brand specific technologies Flicker-free technology Smart modes Multimedia Built-in speaker(s) * Built-in camera * Number of speakers	60.4 cm 3H 72% × × Black Equalizer, Crosshair ✓ Energy saving ✓ 2	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * AC input voltage Energy efficiency scale Packaging content Stand included Cables included Power cable length Weight & dimensions Width (with stand) Depth (with stand) Height (with stand)	^D 19 kWh 100 - 240 V A to G A C, USB 1.8 m 553.4 mm 240 mm 512.7 mm

Publication date: 03-OCT-2023. Prints or copies of Information are only valid on the printed Publication date

Design		Weight & dimensions	
Product colour *BlackFront bezel colourBlackIlluminated standXFeet colourBlack	Black	Weight (without stand)	3.8 kg
		Packaging data	
		Package width	631 mm
	DIACK	Package depth	200 mm
Ports & interfaces		Package height	479 mm
Built-in USB hub * ✓ USB hub version 3.2 Ger	✓	Package weight	8.5 kg
	3.2 Gen 1 (3.1 Gen 1)	Package type	Box
HDMI *	MI ports quantity 1	USB cable length	1.8 m
HDMI ports quantity HDMI version		Sustainability	
		Sustainability certificates	CE, ENERGY STAR, EPEAT Bronze, ErP, REACH, RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.