

## Epson EB-L265F data projector 4600 ANSI lumens 3LCD 1080p (1920x1080) 3D Black

**Brand :** Epson

**Product code:** V11HA72180

**Product name :** EB-L265F



4600 lm, Full HD, Laser, 10 Bits, 31" - 310", LAN, WLAN, USB 2.0-A, Loudspeaker 16 W, 4.2 kg  
 Epson EB-L265F. Projector brightness: 4600 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 18.2 - 29.1 mm, Aperture range (F-F): 1.51 - 1.77. Video colour modes: Blackboard, Cinema, Dynamic, Multi-projection, Presentation, sRGB. Serial interface type: RS-232C, Service port type: USB Type-B

Projector		Network	
Smart projector *	✗	Smart TV *	✗
Screen size compatibility *	787.4 - 7874 mm (31 - 310")	Ethernet LAN *	✓
Projector brightness *	4600 ANSI lumens	Wi-Fi *	✓
Projection technology *	3LCD	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projector native resolution *	1080p (1920x1080)		
Contrast ratio (typical) *	2500000:1	Storage	
Native aspect ratio *	16:9	Card reader integrated *	✗
Number of colours	1.07 billion colours	Features	
Projector brightness (economic mode)	3200 ANSI lumens	Interactive *	✗
Keystone correction, horizontal	-30 - 30°	Noise level (economic mode)	27 dB
Keystone correction, vertical	-30 - 30°	HDCP	✓
Matrix size	1.57 cm (0.62")	Noise level *	37 dB
Light source		Multimedia	
Light source type *	Laser	Built-in speaker(s) *	✓
Service life of light source *	20000 h	RMS rated power	16 W
Service life of light source (economic mode)	30000 h	Design	
Lens system		Market positioning *	Presentation
Focus *	Manual	Product colour *	Black
Focal length range	18.2 - 29.1 mm	Placement	Ceiling, Floor, Wall
Aperture range (F-F)	1.51 - 1.77	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom type	Manual	Display	
Zoom ratio	1:1.62	Built-in display *	✗
Throw ratio	1,32 - 2,12:1	Power	
Video		Power source *	AC
Analog signal format system *	Not supported	Power consumption (typical) *	199 W
Full HD *	✓	Power consumption (economy mode)	144 W
3D *	✓	AC input voltage	220 - 240 V
Video colour modes	Blackboard, Cinema, Dynamic, Multi-projection, Presentation, sRGB	AC input frequency	50/60 Hz
Ports & interfaces		Operational conditions	
Service port type	USB Type-B	Storage temperature (T-T)	-10 - 60 °C
USB 2.0 ports quantity *	1	Operating relative humidity (H-H)	20 - 80%
Headphone outputs	3	Storage relative humidity (H-H)	10 - 90%
Serial interface type *	RS-232C	Weight & dimensions	
VGA (D-Sub) ports quantity *	3	Weight *	4.2 kg

Ports & interfaces		Packaging content	
HDMI ports quantity *	2	Remote control included *	✓
Composite video in *	1	Batteries included	✓
DVI port *	✗	Cables included	AC, HDMI



8715946715490

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-FEB-2024. Prints or copies of Information are only valid on the printed Publication date