



Acer Essential X1123HP DLP projector - portable - 3D - 4000 lumens - SVGA (800 x 600) - 4:3

Brand : Acer

Product family: Essential

Product code: MR.JSA11.002



Product name : Acer X1123HP
DLP projector - portable - 3D -
4000 lumens - SVGA (800 x 600)
- 4:3

- 4000 Lumens Brightness
- SVGA Resolution
- HDMI 3D Display
- Image Shift

Acer X1123HP DLP projector - portable - 3D - 4000 lumens - SVGA (800 x 600) - 4:3

[Acer Essential X1123HP DLP projector - portable - 3D - 4000 lumens - SVGA \(800 x 600\) - 4:3:](#)

Keep your meetings focused and clear at up to 4,000 lumens and an impressive 20,000:1 contrast ratio. With support for Acer LumiSense™ & BlueLightShield™, presentations can be vivid while mitigating the negative effects of blue light exposure. Installation is also made easy with digital zoom and image shift even if your location of choice is not ideal.

Projector		Ports & interfaces	
Supported aspect ratios	16:9	Audio (L/R) out	1
Screen size compatibility *	584.2 - 7620 mm (23 - 300")	VGA (D-Sub) ports quantity *	1
Projection distance	1 - 12 m	HDMI ports quantity *	1
Projector brightness *	4000 ANSI lumens	Composite video in *	1
Projection technology *	DLP	DVI port *	✗
Projector native resolution *	SVGA (800x600)	Network	
Contrast ratio (typical) *	20000:1	Smart TV *	✗
Native aspect ratio *	4:3	Ethernet LAN *	✗
Number of colours	1.073 billion colours	Wi-Fi *	✗
Keystone correction, vertical	-40 - 40°	Storage	
Horizontal synchronization (min)	15 kHz	Card reader integrated *	✗
Horizontal synchronization (max)	100 kHz	Features	
Vertical synchronization (min)	0.12 kHz	Projection modes	Ceiling, Front, Rear
Vertical synchronization (max)	0.024 kHz	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Lamp	RMS rated power	3 W
Service life of light source *	5000 h	Number of built-in speakers	1
Service life of light source (economic mode)	15000 h	Design	
Lamp power	210 W	Product type *	Standard throw projector
Lamps quantity	1 lamp(s)	Product colour *	Black
Lens system		Placement	Desktop, Ceiling
Focal length range	22 - 24.1 mm	Display	
Aperture range (F-F)	2.56 - 2.68	Built-in display *	✗
Zoom capability	✓	Power	
Zoom ratio	2.0:1	Power source *	AC
Video		Power consumption (typical) *	260 W
Analog signal format system *	NTSC, PAL, SECAM	AC input voltage	120 - 230 V
Full HD *	✗	Operational conditions	
3D *	✓	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	1920 x 1200 (WUXGA)	Operating relative humidity (H-H)	0 - 90%
Ports & interfaces		Weight & dimensions	
HDMI version	1.4	Weight *	2.4 kg
USB 2.0 ports quantity *	1		
Audio (L/R) in *	1		

Packaging content

Remote control included *	✓
Batteries included	✓
Cables included	AC, VGA
Carrying case	✓
Manual	✓
Packaging content	Security Card

Logistics data

Harmonized System (HS) code	85286200
-----------------------------	----------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-APR-2024. Prints or copies of Information are only valid on the printed Publication date